

#### SW EW FLUSH GIRT CONDITION

CA0015 - SW OR EW HOT ROLL FLUSH GIRT DETAIL

CA1001 - FLUSH GIRT BOLT PLACEMENT DETAIL

CA1010 - FLUSH GIRT DETAIL

CA2000 - FLUSH GIRT TO ENDWALL DETAIL

CA2010 - GIRT TO SINGLE CEE RAFTER


CA2020 - GIRT TO DOUBLE CEE RAFTER



WALL SECONDARY

CA0015 - SW OR EW HOT ROLL FLUSH GIRT DETAIL

Download the DWG file by clicking here.



# SW OR EW HOT ROLL GIRT DETAIL

FLUSH GIRTS AT INTERIOR BAY COLUMNS NOTE: USE (4) 1/2" x 2" A325 BOLTS (MK. H0603) & NUTS (MK. H0300) REFERENCE ERECTOR NOTE FOR TYPCIAL WASHER REQUIREMENTS

#### Detailer Notes:


1) SHOP WELDED PLATE TO HOT-ROLLED GIRT = GCP06






CA1001 - FLUSH GIRT BOLT PLACEMENT DETAIL

Download the DWG file by clicking here.



### FLUSH GIRT BOLT PLACEMENT DETAIL

REFERENCE WASHER DETAIL FOR TYPICAL WASHER REQUIREMENTS GIRT CLIPS ARE FACTORY PUNCHED TO BE USED WITH MULTIPLE GIRT DEPTHS. REFER TO THE DETAILS ABOVE TO DETERMINE WHICH HOLES ARE UTILIZED.




Detailer Notes:




#### CA1010 - FLUSH GIRT DETAIL

Download the DWG file by clicking here.



GIRT CLIPS ARE FACTORY PUNCHED TO BE USED WITH MULTIPLE GIRT DEPTHS. REFER TO THE STANDARD BOLT PLACEMENT DETAIL(S) FOR PROPER BOLT PLACEMENT.



## FLUSH GIRT DETAIL

FLUSH GIRTS AT INTERIOR BAY COLUMNS NOTE: USE (4) 1/2" x 1 1/4" A307 BOLTS H0500/NUTS H0400 REFERENCE STANDARD WASHER DETAIL FOR TYPICAL WASHER REQUIREMENTS




Detailer Notes:



SW EW FLUSH GIRT DETAILS WALL SECONDARY

CA2000 - FLUSH GIRT TO ENDWALL DETAIL Download the DWG file by clicking here.



### GIRT TO ENDWALL RAFTER

FLUSH GIRT AT EW RAFTER (2) 1/2" x 1 1/4" A307 BOLTS H0500/NUTS H0400 REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS



Detailer Notes:




SW EW FLUSH GIRT DETAILS

WALL SECONDARY

#### CA2010 - GIRT TO SINGLE CEE RAFTER

Download the DWG file by clicking here.



### GIRT TO SINGLE CEE RAFTER

FLUSH ZEE GIRT AT SINGLE CEE COLD-FORMED ENDWALL RAFTER (2) 1/2" x 1 1/4" A307 BOLTS H0500/NUTS H0400 REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS



#### Detailer Notes:




SW EW FLUSH GIRT DETAILS

WALL SECONDARY

CA2020 - GIRT TO DOUBLE CEE RAFTER

Download the DWG file by clicking here.



## GIRT TO DOUBLE CEE RAFTER

FLUSH ZEE GIRT AT DOUBLE CEE COLD-FORMED ENDWALL RAFTER (2) 1/2" x 1 1/4" A307 BOLTS H0500/NUTS H0400 REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS



Detailer Notes: