

STANDARD TRIM TABLE OF CONTENTS

Standard Trim Product Description	2
Trim Features	2
Standard Trim and Hardware Accessories	3
ST0010PE – Low Eave Trim	3
ST0020PE – Rake, Ridge, and High Eave Trim	5
ST0030PE – Wall Trim and Roof Line Corner Pieces	6
ST0040PE – Roof Line Corner Pieces	8
ST0050PE – Wall Trim	10
ST0060PE – Framed Opening Trim	12
ST0070PE – Valley Steel CFR™ Roof Hardware	13
ST0080PE – Valley Steel CFR™ Roof Hardware	16
ST0090PE – Valley Steel CFR™ Roof Tape Mastic and Caulk	18
V2SSEM0430 – Valley Steel VR16 II™ Roof Hardware	20
V2SSEM0440 – Valley Steel VR16 II™ Roof Hardware	23
VSSEM0450 – Valley Steel VR16 II™ Roof Tape Mastic and Caulk	25
ST0100PE – Fasteners	27

STANDARD TRIM PRODUCT DESCRIPTION

TRIM FEATURES

1. Most Valley Steel standard trim is precision roll formed.
2. Standard colors compliment wall panel selection.
3. All roof line trim (gutter, eave, & rake) and standard base angle flash are available in burnished slate as standard, polar white as an option. Other colors are available at additional charge.
4. All wall trim (corner, head, jamb, downspout assembly, & optional base flash) is available in all standard Valley Steel colors, and will match the wall panel color unless otherwise noted at time of order.
5. Downspout assembly & Optional base flash are available in all Valley Steel standard colors and will be selected by the customer.

For additional information about Valley Steel Building Systems standard trim, including dimensions, materials and pricing, see the Valley Steel Building Systems website at the below link or contact your Valley Steel Building Systems division to obtain credentials for accessing the web based components tool.

[Steel Store](#)

Notice: In keeping with a program of continuous and never ending improvement all information contained herein is subject to change without notice.

LAST REVISION

DATE: 09/18/18

BY: KMC CHK: MDK

STANDARD TRIM AND HARDWARE ACCESSORIES

ST0010PE – LOW EAVE TRIM

DATE:	LAST <u>DETAIL</u>	<u>APPLICABLE</u>
BY:	7.1.3	
CHK:		




VALLEY STEEL

CONSTRUCTION INC.


DIMENSION INFORMATION

The detail at right shows how the standard parts are dimensioned. Note that the dimensions given are nominal. Some parts do not have all 3 (length, width, height) dimensions given, as they may not be relevant.



GUTTER

26 Gauge Steel
Painted




Length = 10'-1," 20'-2"
Width = 8 1/8"
Height = 7"

Part No.
GTA01=10'-1"
GTA02=20'-2"

GUTTER BRACKET

22 Gauge Steel
Galvalume/Painted
Factory Punched Holes




Length = 20"
Width = 3"
Height = 4"

Part No. H2640

LOW EAVE TRIM

26 Gauge Steel
Painted



Length = 10'-2"
Width = 1 1/2"
Height = 7"

Part No. LEA01

REVISION

07/10/12







AES EGB

NAME IF

ST0010PE.DWG



ST0020PE – RAKE, RIDGE, AND HIGH EAVE TRIM

<p>SCULPTURED RAKE TRIM</p> <p>26 Gauge Steel Painted</p>  <p>Length = 10'-1", 20'-2" Width = 9 3/8" Height = 12"</p> <p>Part No. RTA01 - 10'-1" RTA02 - 20'-2"</p>	<p>RAKE RETAINER TRIM</p> <p>26 Gauge Steel Painted</p>  <p>Length = 10'-1" Width = 3/4" Height = 2 1/2"</p> <p>Part No. RRA01</p>
<p>RAKE PARAPET TRIM</p> <p>26 Gauge Galvalume (Std.) Painted Available</p>  <p>Length = 10'-1" Width = 6 3/4" Height = 6 3/4"</p> <p>Part No. RPA01</p>	<p>RIDGE CAP</p> <p>26 Gauge Galvalume (Std.) Painted Available</p>  <p>Length = 10'-1", 20'-2" Width = 22 3/4" Height = 11"</p> <p>Part No. Varies with roof slope, see erection dwgs</p>
<p>SCULPTURED HIGH EAVE TRIM</p> <p>26 Gauge Steel Painted</p>  <p>Length = 10'-1", 20'-2" Width = 12 1/2" Height = 12"</p> <p>Part No. HEB01 - 10'-1" HEB02 - 20'-2"</p>	<p>HIGH EAVE PARAPET TRIM</p> <p>26 Gauge Galvalume (Std.) Painted Available</p>  <p>Length = 10'-1" Width = 11 1/2" Height = 8"</p> <p>Part No. HP_01 Varies with roof slope, see erection dwgs</p>

LASTDETAIL

APPLICABLE

DATE:

7.1.5

BY:

CHK:



PRODUCT & ENGINEERING MANUAL

REVISION

02/09/01

CDM

RJF







NAME IF

ST0020PE.DWG

ST0030PE – WALL TRIM AND ROOF LINE CORNER PIECES

DATE:	LAST	<u>DETAIL</u>	APPLICABLE
BY:		7.1.6	
	CHK:	<u>EGB</u>	



<p>WALL OUTSIDE CORNER TRIM</p> <p>26 Gauge Steel Painted</p>  <p>Length = 20'-2" Width = 7 1/2" Height = 7 1/2"</p> <p>Part No. OCA01</p>	<p>GUTTER/RAKE TRIM</p> <p>26 Gauge Steel Painted</p>  <p>Length = 8" Width = 1" Height = 7"</p> <p>Part No. GRA01</p>
<p>RAKE END CAP - LEFT</p> <p>26 Gauge Steel Painted</p>  <p>Length = 6" Width = 6" Height = 2 3/4"</p> <p>Part No. RCA01</p>	<p>RAKE END CAP - RIGHT</p> <p>26 Gauge Steel Painted</p>  <p>Length = 6" Width = 6" Height = 2 3/4"</p> <p>Part No. RCA02</p>
<p>RAKE PARAPET END CAP - LEFT</p> <p>26 Gauge Steel Painted</p>  <p>Length = 4 3/4" Width = 7" Height = 2 3/4"</p> <p>Part No. RCB01</p>	<p>RAKE PARAPET END CAP - RIGHT</p> <p>26 Gauge Steel Painted</p>  <p>Length = 4 3/4" Width = 7" Height = 2 3/4"</p> <p>Part No. RCB02</p>

REVISION
02/09/01

CDM RJF

NAME IF

ST0020PE.DWG

LASTDETAIL






APPLICABLE

DATE: **7.1.7**

BY: CHK:



ST0040PE – ROOF LINE CORNER PIECES

<p>DIMENSIONAL INFORMATION</p> <p>The detail at right shows how the standard parts are dimensioned. Note that the dimensions given are nominal. Some parts do not have all 3 (length, width, height) dimensions given, as they may not be relevant.</p> 	<p>CORNER CAP</p> <p>26 Gauge Steel Painted</p>  <p>Length = 8" Width = 1" Height = 7"</p> <p>Part No. H4000</p>
<p>PEAK BOX</p> <p>26 Gauge Steel Painted White</p>  <p>Part No. SEE ROOF TRIM INSTALLATION SECTION FOR PART NUMBERS</p>	<p>PEAK PLATE TRANSITION (RIDGE)</p> <p>26 Gauge Steel Painted White</p>  <p>Part No. SEE ROOF TRIM INSTALLATION SECTION FOR PART NUMBERS</p>
<p>PEAK TRANSITION (RAKE PARAPET)</p> <p>Expandable Edged Flash</p>  <p>Length = 30" Width = 12" Material = Grey TPE</p> <p>Part No. RPT30</p>	

LASTDETAIL

APPLICABLE

DATE:

7.1.8

BY:

CHK: EGB



V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

REVISION

____12/10/14____




NAME IF


KMC

ST0040PE.DWG

DATE:	LAST	<u>DETAIL</u>	APPLICABLE
BY:		7.1.9	
CHK:			

ST0050PE – WALL TRIM

<p>STANDARD BAS 18 Gauge Steel</p>  <p>TRIM</p> <p>Part No. BSA01 x 10'-1" BSA02 x 20'-2"</p>	<p>OPTIONAL BAS 26 Gauge Steel</p>  <p>TRIM</p> <p>Part No. BSB01</p>
	<p>CO _____ R OUTSIDE _____ nal Base Tr</p>  <p>Part No. H</p>



REVISION
12/10/14

NAME IF

KMC **ST0040PE.DWG**

DETAIL NAME
7.1.11


IF APPLICABLE



ST0060PE – FRAMED OPENING TRIM

HEAD TRIM


26 Gauge Steel



Part No. HTA

JAMB TRIM


For Classic and Accent Panel
26 Gauge Steel



Part No. JTA

JAMB TRIM


For Reverse Classic Panel
26 Gauge Steel



Part No. JTD

SILL TRIM


26 Gauge Steel



Part No. STA

JAMB COVER TRIM


26 Gauge Steel



Part Numbers
CCA -8" Girts
CCB -10" Girts
CCC -12" Girts

PLASTIC DOOR END CLOSURE

(For Optional Base Trim at F. O.'s)
Left and Right Part included as shown



Part No. H4220

REVISION

NAME IF

LAST DETAIL

APPLICABLE

DATE:

7.1.12

BY:

CHK: EGB

____02/16/15____

AK

ST0060PE.DWG






ST0070PE – VALLEY STEEL CFR™ ROOF HARDWARE

DETAIL NAME

7.1.13

IF APPLICABLE



<p>DIMENSION INFORMATION</p> <p>The detail at right shows how the standard parts are dimensioned. Note that the dimensions given are nominal. Some parts do not have all 3 (length, width, height) dimensions given, as they may not be relevant.</p> 	<p>VOID CLOSURE</p> <p>Polypropylene Plastic - Black Factory Hole</p>  <p>Length = 4 9/16" Width = 1" Height = 2"</p> <p>Part No. H2630</p>
<p>BACK-UP PLATE</p> <p>16 Gauge Steel Galvanized Factory alignment tabs</p>  <p>Length = 24" Width = 12 1/2"</p> <p>Part No. H2650</p>	
<p>EAVE PLATE</p> <p>18 Gauge Steel Galvanized Factory Punched Holes</p>  <p>Length = 9'-0" Width = 3 1/2" Height = Short 1/2", Tall 1 1/2", Super Tall 2 1/2"</p> <p>(See the Erection Dwgs for Part No's)</p>	<p>END DAM</p> <p>20 Gauge Steel Galvalume/Painted Factory Punched Holes</p>  <p>Length = 23 7/8" Width = 2" Height = 3"</p> <p>Part No. H2600</p>

LAST REVISION

LAST DETAIL

APPLICABLE

DATE: **7.1.14**

BY: CHK: EGB



PRODUCT & ENGINEERING MANUAL

DATE: 12/29/17
BY: EGB CHK: KMC

ST0070PE.DWG

DETAIL NAME
7.1.15







IF APPLICABLE

ST0080PE – VALLEY STEEL CFR™ ROOF HARDWARE

DETAIL NAME IF
7.1.16

APPLICABLE



<p>CFR CLIP (See Erection Dwg's for Part No's) (Fixed and Floating Clips Available)</p> <p>20 Gauge Steel Galvanized</p>  <p>Length = 4 1/4" Height = 3 1/2" Short, 4 1/2" Tall, 5 1/2" Super Tall</p>	<p>RAKE ANGLE CLIP</p> <p>16 Gauge Steel Galvanized Factory Punched Holes</p>  <p>Part Number Short-H2041 Tall-H2051 Super Tall-H2061</p> <p>Length = 5 11/16" Width = 1 1/2" Stand-off Height = 1/2" Short, 1 1/2" Tall, 2 1/2" Super Tall</p>
<p>RAKE ANGLE</p> <p>16 Gauge Steel Galvanized</p>  <p>Length = 20'-0" Width = 3" Height = 2" Part No. MAR02</p>	<p>WALL RAKE ANGLE</p> <p>16 Gauge Steel Galvanized</p>  <p>Length = 20'-0" Width = 3" Height = 5" Part No. MAR01</p>
<p>27" PRE-CUT MASTIC</p> <p>(4) Strips Per Sheet Protective Paper Backing</p>  <p>Width = 1 1/2" Thickness = 3/16" Part No. H3650</p>	<p>8" PRE-CUT MASTIC</p> <p>(5) Strips Per Sheet Protective Paper Backing</p>  <p>Width = 1" Thickness = 1/4" Part No. H3640</p>



LAST REVISION

DATE: 12/29/16







BY: EGB CHK: KMC

ST0080PE.DWG

ST0090PE – VALLEY STEEL CFR™ ROOF TAPE MASTIC AND CAULK

|



<p><u>TAPE MASTIC</u> Isobutylene Tripolymer 30'-0" Roll</p>  <p>Width = 1 1/2" Thickness = 1/8"</p> <p>Part No. H3001</p>	<p><u>TAPE MASTIC</u> Isobutylene Tripolymer 20'-0" Roll</p>  <p>Width = 2 1/4" Thickness = 3/16"</p> <p>Part No. H3020</p>
<p><u>TAPE MASTIC</u> Isobutylene Tripolymer 50'-0" Roll</p>  <p>Width = 1/2" Thickness = 3/32"</p> <p>Part No. H3010</p>	
<p><u>THERMAL BLOCK</u> Expanded Polystyrene</p>  <p>Length = 23" Width = 3" Thickness = 13/16" Thickness = 1"</p> <p>Part No. H3300 Part No. H3301</p>	<p><u>POLYURETHANE TUBE CAULK</u> For Use At Trim Laps</p>  <p>Part No. H3152</p>
<p><u>BUTYL TUBE CAULK</u> Roof Applications</p>  <p>Part No. H3151</p>	



LAST REVISION

DATE: 12/10/14

BY: KMC CHK: AES

ST0090PE.DWG



PRODUCT & ENGINEERING MANUAL

V2SSEM0430 – VALLEY STEEL VR16 II™ ROOF HARDWARE

DATE:



V A L L E Y
S T E E L
CONSTRUCTION INC.

DIMENSION	INFORMATION	ZEE CLOSURE
<p>The detail at right shows how the standard parts are dimensioned. Note</p>		<p>18 Gauge Steel Galvanized No Holes</p> 



V A L L E Y
S T E E L
CONSTRUCTION INC.


PRODUCT & ENGINEERING MANUAL

V2SSEM0440 – VALLEY STEEL VR16 II™ ROOF HARDWARE



VR16-II CLIP (See Erection Dwgs for Part No's)

24 Gauge Steel
Galvanized
Factory Punched Holes



RAKE ANGLE CLIP

16 Gauge Steel
Galvanized
Factory Punched Holes



V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

DATE: 07/30/12

V2SSEM0440.DWG

7.1.13


BY: AES CHK:

VSSEM0450 – VALLEY STEEL VR16 II™ ROOF TAPE MASTIC AND CAULK




TAPE MASTIC

Isobutylene Tripolymer
50'-0" Roll



TAPE MASTIC

Isobutylene Tripolymer
30'-0" Roll





V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

LAST REVISION

DETAIL NAME IF APPLICABLE

DATE: 06/15/18

VSSEM0450.DWG

7.1.14


BY: KMC CHK: AES

ST0100PE – FASTENERS



V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

FASTENER	SPECIFICATIONS	USAGE
	<p>SELF-TAPPING SCREW No. 17-14x1 1/4" W/ Sealing Washer "GOOF-SCREW"</p> <p>Recommended Tool Types: (High Torque, Low RPM) Torque Adjustable Clutch -DO NOT use Impacting Tools</p>	<p>CFR Roof: Used at locations where fastener has stripped out.</p> <p>VR16 II Roof: Used at locations where fastener</p>



V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

LAST REVISION

DETAIL NAME IF APPLICABLE

DATE: 12/29/17

ST0100PE.DWG

7.1.15

BY: EGB CHK: KMC