



STANDARD FASCIA TABLE OF CONTENTS

Standard Fascia Information, Specifications, and Dimensions.....	3
Standard Color Definition for Closed Fascias	5
Standard Color Definition for Open Fascias	6
FS0010PE – Structural Spacer Connections	8
FS0020PE – Sidewall Dimensions (Open Fascia).....	10
FS0030PE – Endwall Dimensions (Open Fascia).....	12
FS0040PE – Sidewall Dimensions (Closed Fascia).....	14
FS0050PE – Endwall Dimensions (Closed Fascia)	16
Fascia Structural @ Bypass Girts	18
HA1010 – Intermediate Frames @ Low Eave.....	18
HA1020 – Intermediate Frames @ Post & Beam Endwall (Rake) - Closed Fascia	19
HA1025 – Intermediate Frames @ Post & Beam Endwall (Rake) - Open Fascia ..	21
HA1030 – Intermediate Frames @ High Eave	23
HA1050 – Horizontal Spacer Erector Note	26
Fascia Structural @ Inset Girts	27
HB1010 – Intermediate Frames @ Low Eave.....	27
HB1020 – Intermediate Frames @ Post & Beam Endwall (Rake) - Closed Fascia	29
HB1025 – Intermediate Frames @ Post & Beam Endwall (Rake) - Open Fascia ..	31
HB1030 – Intermediate Frames @ High Eave	34
Fascia Structural @ Flush Girts	36
HC1010 – Intermediate Frames @ Low Eave	36
HC1020 – Intermediate Frames @ Post & Beam Endwall (Rake) - Closed Fascia	38
HC1025 – Intermediate Frames @ Post & Beam Endwall (Rake) - Open Fascia ..	41
HC1030 – Intermediate Frames @ High Eave.....	43
Fascia Structural @ Post & Beam Endwall	45
HD1010 – End Frame @ High Eave.....	45
HD1020 – End Frame @ Low Eave	48
Fascia Structural @ Corners.....	50
HE1010 – Return To Main Building.....	50
HE1020 – Outside Corner	52
HE1030 – Corner @ Sidewall Elevation	54
HE1040 – Inside Corner Detail @ SW.....	56
HE1050 – Inside Corner Detail @ EW.....	57



Fascia Structural @ Secondary Members.....	59
--	----

7.3.1

HF1010 – Intermediate Girts	31
HF1020 – Sag Cable ($\leq 20'-0"$ Bays)	32
HF1030 – Sag Cable ($> 20'-0"$ Bays)	33
HF1060 – Sag Cable @ Corner	34
Fascia Sheeting @ Classic Roof (Closed Fascia)	35
HG1010 – Sidewall Fascia sheeting w/ Eave Strut	35
HG1030 – Sidewall Extended Fascia sheeting w/ (2) Eave Struts	36
HG1050 – Endwall Fascia sheeting	37
HG1060 – High Eave Fascia sheeting	38
Fascia Sheeting @ Classic Roof (Open Fascia).....	39
HH1020 – Sidewall Fascia sheeting w/ Gutter	39
HH1040 – Endwall Fascia sheeting	40
HH1050 – High Eave Fascia sheeting	41
Fascia Sheeting @ CFR Roof (Closed Fascia)	42
HI6020 – Sidewall Fascia sheeting w/ Eave Strut	42
HI6040 – Sidewall Extended Fascia sheeting w/ (2) Eave Struts	43
HI6060 – Endwall Fascia sheeting	44
HI6070 – High Eave Fascia sheeting	45
Fascia Sheeting @ CFR Roof (Open Fascia)	46
HJ6020 – Sidewall Fascia sheeting w/ Gutter	46
HJ6040 – High Eave Fascia sheeting	47



HJ6050 – Endwall Fascia sheeting	48
Fascia Trim	49
HK1020 – Outside Corner w/ “Accent Panel” Face Panel	49
HK1050 – Fascia Termination @ Existing w/ “Accent Panel” Face Panel.....	50
HK1090 – Fascia Termination Above Roof w/ “Accent Panel” Face Panel	51
HK1120 – Fascia Termination Below Roof w/ “Accent Panel” Face Panel	52
HK1140 – Soffit Corner Trim	53
HK1150 – Fascia Cap Trim @ Corner	54
HK1170 – Fascia Termination @ Soffit w/ Channel Return	55
HK1180 – Parapet Gutter Interior Splice	56

7.3.2

STANDARD FASCIA INFORMATION, SPECIFICATIONS, AND DIMENSIONS

1. Fascias may be open or closed soffit with a closed with soffit being the standard condition.
2. Fascias **MUST** terminate at a sidewall or endwall column.
3. Fascia sheeting material, including face panel, back panel, and soffit panel is available in either Valley Steel Classic Wall™, Valley Steel Reverse Classic Wall™, Valley Steel Accent Wall™, when supplied by Valley Steel Building Systems. Fascia sheeting may also be specified as supplied by others or not by Valley Steel Building Systems. In these cases, the weight of the sheeting and any specified deflection criteria must be supplied to Valley Steel Building



Systems with the quote request and order documents. Contact the engineering team for assistance.

4. Fascia standard location is at/near the Eave height of a building.
5. With a Valley Steel CFR™ standing seam roof, a minimum of 18" is required above the highest portion of the roof structural to the top of a closed fascia to provide space for proper flashing. With a Valley Steel Classic Roof™, a minimum of 10" is required for this condition.
6. The fascia clear dimension is taken from finish floor to bottom of the fascia structural.

Additional information Valley Steel standard fascias is available at the Valley Steel Building Systems website at the below link.

Standard Valley Steel Fascia

The following pages provide standard details for projects with fascias.

LAST REVISION

DATE: 03/11/15

BY: AAJ CHK: MDK



STANDARD COLOR DEFINITION FOR CLOSED FASCIAS

STANDARD COLORS FOR CLOSED FASCIAS

CLOSED_FASCIA.dwg

LAST REVISION DETAIL


DATE: 01/27/03

BY: CDM CHK: RJF

NAME IF APPLICABLE

7.3.5

FS0002PE.DWG



STANDARD COLOR DEFINITION FOR OPEN FASCIAS

LAST REVISION DETAIL

DATE: 01/27/03

BY: CDM CHK: RJF

NAME IF APPLICABLE

7.3.6

FS0002PE.DWG



V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

STANDARD COLORS FOR OPEN FASCIAS

OPEN FASCIA.dwg

LAST REVISION DETAIL


DATE: 01/27/03

BY: CDM CHK: RJF

NAME IF APPLICABLE

7.3.7

FS0002PE.DWG



FS0010PE – STRUCTURAL SPACER CONNECTIONS

LAST REVISION DETAIL

DATE: 01/27/03

BY: CDM CHK: RJF

NAME IF APPLICABLE


7.3.8

FS0002PE.DWG




INSET CONDITION

NOTE: SPACER PLATES ARE NOT
REQUIRED @ FLUSH CONDITION



BYPASS CONDITION



LAST REVISION DETAIL

DATE: 01/27/03

BY: CDM CHK: RJE

NAME IF APPLICABLE

7.3.9

FS0002PE.DWG



V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

FS0020PE – SIDEWALL DIMENSIONS (OPEN FASCIA)

LAST REVISION DETAIL


DATE: 02/16/15

BY: AK CHK: EGB

NAME IF APPLICABLE

7.3.10

FS0050PE.DWG



	PROJECTION
A	4'-0" & 7'-0" NOMINAL VERTICAL
B	2'-0" & 4'-0" NOMINAL HORIZONTAL
C	2'-3" @ 2'-0" HORIZONTAL 2'-9" @ 4'-0" HORIZONTAL
D	FASCIA CLEAR DIMENSION FROM FINISH FLOOR TO BOTTOM OF FASCIA STRUCTURAL

LAST REVISION DETAIL

DATE: 02/16/15

BY: AK CHK: EGB

NAME IF APPLICABLE

7.3.11

FS0050PE.DWG



V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

FS0030PE – ENDWALL DIMENSIONS (OPEN FASCIA)

LAST REVISION DETAIL


DATE: 02/16/15

BY: AK CHK: EGB

NAME IF APPLICABLE

7.3.12

FS0050PE.DWG



LAST REVISION DETAIL

DATE: 02/16/15

BY: AK CHK: EGB

NAME IF APPLICABLE

7.3.13

FS0050PE.DWG



V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

FS0040PE – SIDEWALL DIMENSIONS (CLOSED FASCIA)

LAST REVISION DETAIL


DATE: 02/16/15

BY: AK CHK: EGB

NAME IF APPLICABLE

7.3.14

FS0050PE.DWG



NOTE: DOWNSPOUTS FOR FASCIA CONDITIONS ARE BY NUCOR AS LONG AS NUCOR IS SUPPLYING THE GUTTER AND THE GUTTER IS OUTSIDE OF THE BUILDING LINE. DOWNSPOUTS FOR INTERIOR GUTTER SYSTEMS ARE NOT BY NUCOR.

	PROJECTION
A	4'-0" & 7'-0" NOMINAL VERTICAL
B	1'-6" & 4'-0" NOMINAL HORIZONTAL
C	2'-2" @ 1'-6" HORIZONTAL 2'-9" @ 4'-0" HORIZONTAL
D	FLOOR TO BOTTOM OF FASCIA STRUCTURAL

LAST REVISION **DETAIL** NAME IF APPLICABLE

DATE: 02/16/15

BY: AK CHK: EGB

7-3-15

FS0050PE.DWG



V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

FS0050PE – ENDWALL DIMENSIONS (CLOSED FASCIA)

LAST REVISION DETAIL


DATE: 02/16/15

BY: AK CHK: EGB

NAME IF APPLICABLE

7.3.16

FS0050PE.DWG



	PROJECTION
A	4'-0" & 7'-0" NOMINAL VERTICAL
B	1'-6" & 4'-0" NOMINAL HORIZONTAL
C	FASCIA CLEAR DIMENSION FROM FINISH FLOOR TO BOTTOM OF FASCIA STRUCTURAL

LAST REVISION DETAIL NAME IF APPLICABLE

DATE: 02/16/15

BY: AK CHK: EGB



7.3.17

FS0050PE.DWG




FASCIA STRUCTURAL @ BYPASS GIRTS

HA1010 – INTERMEDIATE FRAMES @ LOW EAVE



SECTION A-A
TOP SHOWN BOTTOM SIM.
(4) 1/2"Ø x 1 1/4" A307 BOLTS
(MK. H0500) & NUTS (MK. H0400)



SECTION B-B
(4) 1/2"Ø x 1 1/4" A307 THIN HEAD
BOLTS (MK. H0515) & NUTS (MK. H0400)

SIDEWALL FASCIA STRUCTURAL

INTERMEDIATE FRAMES WITH BYPASS GIRTS
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

HA1010

DETAIL APPLICABLE

7.3.18

BY: AK CHK: EGB

LAST REVISION DATE:
02/16/15_____


NAME IF

HA1010.DWG

HA1020 – INTERMEDIATE FRAMES @ POST & BEAM ENDWALL (RAKE) - CLOSED FASCIA

LAST REVISION DETAIL
DATE: 02/16/15
BY: AK CHK: EGB

7.3.19 APPLICABLE



ENDWALL FASCIA STRUCTURAL

POST AND BEAM ENDWALL WITH BYPASS GIRTS
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

HA1020

LAST REVISION DETAIL

DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE

7.3.20

NAME IF

HA1020.DWG

HA1025 – INTERMEDIATE FRAMES @ POST & BEAM ENDWALL (RAKE) - OPEN FASCIA


LAST REVISION DETAIL

DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE

7.3.21



ENDWALL FASCIA STRUCTURAL

POST AND BEAM ENDWALL WITH BYPASS GIRTS
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

HA1020

LAST REVISION DETAIL

DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE

7.3.22

NAME IF

HA1020.DWG

HA1030 – INTERMEDIATE FRAMES @ HIGH EAVE



LAST REVISION DETAIL

DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE

7.3.23



SECTION A-A
TOP SHOWN BOTTOM SIM.
(4) 1/2"ø x 1 1/4" A307 BOLTS
(MK. H0500) & NUTS (MK. H0400)

SIDEWALL FASCIA STRUCTURAL

INTERMEDIATE FRAMES WITH BYPASS GIRTS
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

HA1030

LAST REVISION **DETAIL**

DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE

7.3.24



PRODUCT & ENGINEERING MANUAL

NAME IF

HA1030.DWG

LAST REVISION DETAIL

DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE

7.3.25



HA1050 – HORIZONTAL SPACER ERECTOR NOTE

ERECTOR NOTE

PLEASE READ BEFORE ERECTING FASCIA
HORIZONTAL AND VERTICAL MEMBERS.

NOTE: SPACERS ARE PROVIDED SO THAT THE WALL PANELS DO NOT HAVE TO BE NOTCHED TO FIT AROUND THE HORIZONTAL MEMBER. THIS ALLOWS THE FASCIA HORIZONTAL AND VERTICAL MEMEBERS TO BE ERECTED AFTER THE WALL PANEL IS ERECTED. THIS CAN BE DONE BY CUTTING OUT THE WALL PANEL IN THE RECTANGULAR SIZE OF THE SPACER END PLATE, OR BY FLATTENING THE PANEL RIB BETWEEN THE SPACER AND THE HORIZONTAL MEMBER.

	LAST	<u>DETAIL</u>	<u>APPLICABLE</u>
DATE:		7.3.26	
BY:	CHK:		



V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

HA1050

HORIZONTAL SPACER DETAIL

REVISION

____ 04/03/02 ____

NAME IF

CDM RJF [HA1050.DWG](#)

FASCIA STRUCTURAL @ INSET GIRTS

HB1010 – INTERMEDIATE FRAMES @ LOW EAVE


LAST REVISION DETAIL

DATE: 02/16/15

BY: AK CHK: EGB


APPLICABLE

7.3.27




SIDEWALL FASCIA STRUCTURAL

INTERMEDIATE FRAMES WITH INSET GIRTS
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS



SECTION A-A
TOP SHOWN BOTTOM SIM.
(4) 1/2" ϕ x 1 1/4" A307 BOLTS
(MK. H0500) & NUTS (MK. H0400)



SECTION B-B

(4) 1/2" ϕ x 1 1/4" A307 THIN HEAD
BOLTS (MK. H0515) & NUTS (MK. H0400)

COLUMN FLANGE WIDTH	▲
FLANGE = 4"	3/8"
FLANGE > 4"	3/4"

HB1010

DETAIL **APPLICABLE**

7.3.28

BY: AK CHK: EGB

LAST REVISION DATE:
02/16/15 _____

NAME IF

HB1010.DWG

HB1020 – INTERMEDIATE FRAMES @ POST & BEAM ENDWALL (RAKE) - CLOSED FASCIA


LAST REVISION DETAIL

DATE: _____ 02/16/15 _____

BY: AK CHK: EGB

APPLICABLE

7.3.29



ENDWALL FASCIA STRUCTURAL

POST AND BEAM ENDWALL WITH INSET GIRTS
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

HB1020

DETAIL APPLICABLE

7.3.30

BY: AK CHK: EGB

NAME IF

HB1025.DWG

HB1025 – INTERMEDIATE FRAMES @ POST & BEAM ENDWALL (RAKE) - OPEN FASCIA


LAST REVISION DETAIL

DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE

7.3.31



ENDWALL FASCIA STRUCTURAL

POST AND BEAM ENDWALL WITH INSET GIRTS
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

HB1020

DETAIL APPLICABLE

7.3.32

BY: AK CHK: EGB



PRODUCT & ENGINEERING MANUAL

LAST REVISION

DATE: 02/16/15

NAME IF

HB1025.DWG

LAST REVISION DETAIL

DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE



7.3.33



PRODUCT & ENGINEERING MANUAL

HB1030 – INTERMEDIATE FRAMES @ HIGH EAVE

LAST REVISION <u>DETAIL</u>	<u>APPLICABLE</u>	
DATE: <u>02/16/15</u>	7.3.34	
BY: <u>AK</u> CHK: <u>EGB</u>		



SECTION A-A
TOP SHOWN BOTTOM SIM.
(4) 1/2"Ø x 1 1/4" A307 BOLTS
(MK. H0500) & NUTS (MK. H0400)

SIDEWALL FASCIA STRUCTURAL

INTERMEDIATE FRAMES WITH INSET GIRTS
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

HB1030

LAST REVISION **DETAIL**
DATE: 02/16/15
BY: AK CHK: EGB

7.3.35 **APPLICABLE**



NAME IF

HB1030.DWG

PRODUCT & ENGINEERING MANUAL



FASCIA STRUCTURAL @ FLUSH GIRTS

HC1010 – INTERMEDIATE FRAMES @ LOW EAVE


DETAIL APPLICABLE

BY: AK CHK: EGB

7.3.36



SECTION A-A
TOP SHOWN BOTTOM SIM.
(4) 1/2" ϕ x 1 1/4" A307 BOLTS
(MK. H0500) & NUTS (MK. H0400)



SECTION B-B
(4) 1/2" ϕ x 1 1/4" A307 THIN HEAD
BOLTS (MK. H0515) & NUTS (MK. H0400)

COLUMN FLANGE WIDTH	▲
FLANGE = 4"	3/8"
FLANGE > 4"	3/4"

SIDEWALL FASCIA STRUCTURAL

INTERMEDIATE FRAMES WITH FLUSH GIRTS
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

HC1010



LAST REVISION
DATE: 02/16/15 _____

NAME IF


HC1010.DWG

HC1020 – INTERMEDIATE FRAMES @ POST & BEAM ENDWALL (RAKE) - CLOSED FASICA

DETAIL APPLICABLE

BY: AK CHK: EGB

7.3.38



ENDWALL FASCIA STRUCTURAL

POST AND BEAM ENDWALL WITH FLUSH GIRTS
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

HC1020

LAST REVISION DETAIL
DATE: 02/16/15
BY: AK CHK: EGB

7.3.39 APPLICABLE




NAME IF
HC1020.DWG

DETAIL APPLICABLE

BY: AK CHK: EGB

7.3.40

HC1025 – INTERMEDIATE FRAMES @ POST & BEAM ENDWALL (RAKE) - OPEN FASCIA



ENDWALL FASCIA STRUCTURAL

POST AND BEAM ENDWALL WITH FLUSH GIRTS

REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

HC1025

LAST REVISION DETAIL

APPLICABLE

DATE: 02/16/15

7.3.42

BY: AK CHK: EGB



NAME IF

HC1025.DWG

HC1030 – INTERMEDIATE FRAMES @ HIGH EAVE

LAST REVISION DETAIL
DATE: 02/16/15
BY: AK CHK: EGB

7.3.43 APPLICABLE



SECTION A-A
TOP SHOWN BOTTOM SIM.
(4) 1/2"Ø x 1 1/4" A307 BOLTS
(MK. H0500) & NUTS (MK. H0400)

SIDEWALL FASCIA STRUCTURAL

INTERMEDIATE FRAMES WITH FLUSH GIRTS
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS



HC1030

NAME IF

HC1030.DWG

FASCIA STRUCTURAL @ POST & BEAM ENDWALL

HD1010 – END FRAME @ HIGH EAVE



SECTION A-A
TOP SHOWN BOTTOM SIM.
(4) 1/2" ϕ x 1 1/4" A307 BOLTS
(MK. H0500) & NUTS (MK. H0400)

SIDEWALL FASCIA STRUCTURAL

POST AND BEAM ENDWALL

REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

HD1010



PRODUCT & ENGINEERING MANUAL



NAME IF

HD1010.DWG


LAST REVISION DETAIL
DATE: 02/16/15
BY: AK CHK: EGB

7.3.47 APPLICABLE

HD1020 – END FRAME @ LOW EAVE



SECTION A-A
TOP SHOWN BOTTOM SIM.
(4) 1/2"Ø x 1 1/4" A307 BOLTS
(MK. H0500) & NUTS (MK. H0400)



SECTION B-B
(4) 1/2"Ø x 1 1/4" A307 THIN HEAD
BOLTS (MK. H0515) & NUTS (MK. H0400)

COLUMN FLANGE WIDTH	▲
FLANGE = 4"	3/8"
FLANGE > 4"	3/4"

SIDEWALL FASCIA STRUCTURAL

POST AND BEAM ENDWALL
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

HD1020

LAST REVISION **DETAIL**
DATE: 02/16/15
BY: AK CHK: EGB

7.3.49 **APPLICABLE**

LAST REVISION DATE:
02/16/15 _____

NAME IF

HD1020.DWG


FASCIA STRUCTURAL @ CORNERS

HE1010 – RETURN TO MAIN BUILDING

HE1010

LAST REVISION DETAIL
DATE: _____ 02/16/15
BY: AK CHK: EGB

7.3.50 APPLICABLE



FASCIA STRUCTURAL DETAIL

FASCIA RETURN TO MAIN BUILDING

REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

LAST REVISION **DETAIL**

DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE

7.3.51


NAME IF

HE1010.DWG

HE1020 – OUTSIDE CORNER

LAST REVISION DETAIL
DATE: 02/16/15
BY: AK CHK: EGB

7.3.52 APPLICABLE




**FASCIA
SIDEWALL**


FASCIA STRUCTURAL DETAIL

OUTSIDE FASCIA CORNER AT ENDWALL
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

**FASCIA
SIDEWALL**



SECTION A-A
TOP SHOWN BOTTOM SIM.




SECTION B-B

HE1020

NAME IF

HE1010.DWG

HE1030 – CORNER @ SIDEWALL ELEVATION



HE1030

LAST REVISION **DETAIL**

DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE

7.3.54



V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

FASCIA STRUCTURAL DETAIL

OUTSIDE FASCIA CORNER AT OPEN FASCIA
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

NAME IF

HE1030.DWG

LAST REVISION DETAIL




DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE

7.3.55

HE1040 – INSIDE CORNER DETAIL @ SW





FASCIA STRUCTURAL DETAIL

INSIDE FASCIA CORNER
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

SECTION B-B

HE1040

REVISION

02/16/15

NAME IF

HE1040.DWG


AK CHK: EGB

HE1050 – INSIDE CORNER DETAIL @ EW



DETAIL APPLICABLE

7.3.57

BY: AK CHK: EGB



FASCIA STRUCTURAL DETAIL
INSIDE FASCIA CORNER
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS



SECTION B-B

HE1050



REVISION
____02/16/15____
AK CHK: _____EGB

NAME IF
HE1040.DWG

PRODUCT & ENGINEERING MANUAL


FASCIA STRUCTURAL @ SECONDARY MEMBERS

HF1010 – INTERMEDIATE GIRTS

DETAIL APPLICABLE

BY: AK CHK: EGB

7.3.59



INTERMEDIATE GIRT DETAIL

NOTE: USE (4) $\frac{1}{2}" \times 1 \frac{1}{4}"$ A307 BOLTS H0500/NUTS H0400
U.N.O. REFERENCE ERECTOR NOTE FOR TYPICAL WASHER
REQUIREMENTS

HF1010



LAST REVISION
DATE: 02/16/15_____


NAME IF
HF1010.DWG

DETAIL APPLICABLE

BY: AK CHK: EGB

7.3.61

HF1020 – SAG CABLE ($\leq 20'-0"$ BAYS)





PRODUCT & ENGINEERING MANUAL


NAME IF

HF1020.DWG

HF1030 – SAG CABLE (> 20'-0" BAYS)

LAST REVISION DETAIL
DATE: 02/16/15
BY: AK CHK: EGB

7.3.63 APPLICABLE



SAG CABLE DETAIL

AT BAYS > 20'-0"


NAME IF

HF1020.DWG

HF1060 – SAG CABLE @ CORNER

LAST REVISION DETAIL
DATE: 02/16/15
BY: AK CHK: EGB

7.3.65 APPLICABLE



HF1060

SAG CABLE DETAIL


SIDEWALL AT CORNER

NAME IF

HF1060.DWG

FASCIA SHEETING @ CLASSIC ROOF (CLOSED FASCIA)

HG1010 – SIDEWALL FASCIA SHEETING W/ EAVE STRUT



LAST REVISION **DETAIL**

APPLICABLE

DATE: 02/16/15


7.3.67

BY: AK CHK: EGB

NAME IF


HG1010.DWG

HG1030 – SIDEWALL EXTENDED FASCIA SHEETING W/ (2) EAVE STRUTS



SIDEWALL FASCIA SHEETING DETAIL

"CLASSIC" ROOF AT CLOSED FASCIA WITH GUTTER AND (2) EAVE STRUTS.
4'-0" HORIZONTAL PROJECTION.
SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS



LAST REVISION DETAIL

APPLICABLE

DATE: 02/16/15

7.3.68

BY: AK CHK: EGB



HG1050 – ENDWALL FASCIA SHEETING




7.3.69

BY: AK CHK: EGB

APPLICABLE

NAME IF
HG1050.DWG





HG1060 – HIGH EAVE FASCIA SHEETING



SOFFIT PANEL MUST BE INSTALLED BEFORE SOFFIT TRIMS

SIDEWALL FASCIA SHEETING DETAIL

"CLASSIC" ROOF AT CLOSED FASCIA AT HIGH EAVE.
1'-6" HORIZONTAL PROJECTION
SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS



HG1060



PRODUCT & ENGINEERING MANUAL

NAME IF

HG1050.DWG

LAST REVISION DETAIL
DATE: 02/16/15
BY: AK CHK: EGB

7.3.71 APPLICABLE

FASCIA SHEETING @ CLASSIC ROOF (OPEN FASCIA)

REVISION
____02/16/15____

NAME IF
HH1020.DWG

LASTDETAIL

APPLICABLE

DATE: **7.3.72**
BY:




PRODUCT & ENGINEERING MANUAL

AK CHK: EGB

**HH1020 – SIDEWALL FASCIA
SHEETING W/ GUTTER**

DATE:	LAST	<u>DETAIL</u>		<u>APPLICABLE</u>	
BY:		7.3.73			



HH1040 – ENDWALL FASCIA SHEETING

REVISION
02/16/15

NAME IF
HH1040.DWG

LASTDETAIL

APPLICABLE


DATE: **7.3.74**
BY:



PRODUCT & ENGINEERING MANUAL

AK CHK: EGB




DATE:	LAST	<u>DETAIL</u>	APPLICABLE
BY:	7.3.75		



ENDWALL FASCIA SHEETING

"CLASSIC" ROOF AT OPEN FASCIA

SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS



HH1040

REVISION
02/16/15

NAME IF
HH1040.DWG

LASTDETAIL


APPLICABLE

DATE: **7.3.76**
BY:

AK CHK: EGB


HH1050 – HIGH EAVE FASCIA
SHEETING

DATE:	LAST	<u>DETAIL</u>	APPLICABLE
BY:	7.3.77		




FASCIA SHEETING @ CFR ROOF (CLOSED FASCIA)

HI6020 – SIDEWALL FASCIA SHEETING W/ EAVE STRUT



SIDEWALL FASCIA SHEETING DETAIL

"CFR" ROOF AT CLOSED FASCIA WITH GUTTER AND EAVE STRUT. 1'-6" HORIZONTAL PROJECTION
SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS





PRODUCT & ENGINEERING MANUAL

LAST REVISION
DATE: 02/16/15
AK CHK: EGB


DETAIL NAME IF APPLICABLE
HI6020.DWG

HI6040 – SIDEWALL EXTENDED FASCIA SHEETING W/ (2) EAVE STRUTS

LAST

BY: 12/29/17
CHK:


DATE: **7.3.80**



SOFFIT PANEL MUST BE INSTALLED BEFORE SOFFIT TRIMS

SIDEWALL FASCIA SHEETING DETAIL

CFR ROOF AT CLOSED FASCIA WITH GUTTER AND (2) EAVE STRUT. 4'-0" HORIZONTAL PROJECTION
SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS



H16040



PRODUCT & ENGINEERING MANUAL

DETAIL NAME IF APPLICABLE

LAST REVISION DATE:

02/16/15_____

BY: AK CHK: EGB

HI6040.DWG

HI6060 – ENDWALL FASCIA SHEETING


LAST

BY:

12/29/17


CHK:

DATE: **7.3.82**




SOFFIT PANEL MUST BE INSTALLED BEFORE SOFFIT TRIMS


H16060
ENDWALL FASCIA SHEETING DETAIL
CLOSED FASCIA AT "OFF ROOF"
SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS




DETAIL A



DETAIL C



DETAIL B



DETAIL D

H16060



PRODUCT & ENGINEERING MANUAL

REVISION

DETAIL NAME IF APPLICABLE

EGB SDF **HI6060.DWG**

LAST

BY:


12/29/17

CHK:

DATE: **7.3.84**

HI6070 – HIGH EAVE FASCIA SHEETING

ERECTOR NOTE:
H1020 SCREWS AND H2200 INSULATION WASHERS HAVE BEEN SUPPLIED AT 12" O.C. FOR INSULATION ATTACHMENT AT THE HIGH EAVE. FIELD NOTCH PANELS AS NEEDED TO ALLOW FOR PROPER END DAM FIT UP.




SOFFIT PANEL MUST BE INSTALLED BEFORE SOFFIT TRIMS


SIDEWALL FASCIA SHEETING DETAIL

"CFR" ROOF AT CLOSED FASCIA AT HIGH EAVE.
1'-6" HORIZONTAL PROJECTION


SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS




DETAIL A



DETAIL C



DETAIL B



DETAIL D

HI6070

LAST REVISION
DATE: 08/10/21
BY: DMB CHK: SDF


DETAIL NAME IF APPLICABLE
HI6070.DWG

FASCIA SHEETING @ CFR ROOF (OPEN FASCIA)

HJ6020 – SIDEWALL FASCIA SHEETING W/ GUTTER

LAST REVISION DETAIL
DATE: 12/29/17
BY: EGB CHK: SDF

APPLICABLE
7.3.86



LAST REVISION DETAIL

DATE: 12/29/17

BY: EGB CHK: SDF

APPLICABLE

7.3.87



PRODUCT & ENGINEERING MANUAL

NAME IF

HJ6020.DWG

HJ6040 – HIGH EAVE FASCIA SHEETING

LAST REVISION DETAIL

DATE: 12/29/17


BY: EGB CHK: SDF

APPLICABLE

7.3.88

ERECTOR NOTE:

H1020 SCREWS AND H2200 INSULATION WASHERS HAVE BEEN SUPPLIED AT 12" O.C. FOR INSULATION ATTACHMENT AT THE HIGH EAVE. FIELD NOTCH PANELS AS NEEDED TO ALLOW FOR PROPER END DAM FIT UP.



DETAIL AT BOTTOM OF FASCIA **HJ6040**

DATE: 12/29/17
BY: EGB CHK: SDF

7.3.89



PRODUCT & ENGINEERING MANUAL

NAME IF

HJ6020.DWG

HJ6050 – ENDWALL FASCIA SHEETING


LAST REVISION DETAIL

DATE: 12/29/17

BY: EGB CHK: SDF

APPLICABLE

7.3.90



ENDWALL FASCIA SHEETING

"CFR" ROOF AT OPEN FASCIA AT SCULPTURED RAKE
SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS

DATE: 12/29/11
BY: EGB CHK: SDF

HJ6050



PRODUCT & ENGINEERING MANUAL

NAME IF

HJ6050.DWG

LAST REVISION DETAIL

DATE: 12/29/17


BY: EGB CHK: SDF

APPLICABLE

7.3.92

FASCIA TRIM

HK1020 – OUTSIDE CORNER W/ “ACCENT PANEL” FACE PANEL





V A L L E Y
S T E E L
CONSTRUCTION INC.

PRODUCT & ENGINEERING MANUAL

FASCIA CORNER TRIM

"ACCENT" FACE PANEL

"CLASSIC" BACK PANEL

SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS

HK1020

NAME IF

HK1020.DWG

HK1050 – FASCIA TERMINATION @ EXISTING W/ "ACCENT PANEL" FACE PANEL


LAST REVISION DETAIL

DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE

7.3.94



FASCIA CORNER TERMINATION

"ACCENT" FACE PANEL

"CLASSIC" BACK PANEL

SEE WALL SHEETING ERECTION NOTES FOR WALL PANEL FASTENER LOCATIONS

HK1050

LAST REVISION DETAIL

DATE: 02/16/15

BY: AK CHK: EGB

APPLICABLE



7.3.95

NAME IF

HK1020.DWG

HK1090 – FASCIA TERMINATION ABOVE ROOF W/ “ACCENT PANEL” FACE PANEL

SUPPORT MEMBER MAY BE A CEE CHANNEL IN LIEU OF MAR02 ANGLES. REFER TO FASCIA ELEVATIONS AND FASCIA STRUCTURAL DETAILS.



LAST REVISION **DETAIL**

APPLICABLE

DATE: 02/16/15

7.3.96

BY: AK CHK: EGB

FASCIA TERMINATION SECTION

ABOVE ROOF

HK1090

NAME IF

HK1090.DWG

LAST REVISION DETAIL
DATE: 02/16/15
BY: AK CHK: EGB

7.3.97 APPLICABLE


—

HK1120 FASCIA TERMINATION BELOW ROOF W/ “ACCENT PANEL” FACE PANEL


LAST REVISION DETAIL
DATE: 02/16/15
BY: AK CHK: EGB

APPLICABLE
7.3.98

SUPPORT MEMBER MAY BE A CEE CHANNEL IN LIEU OF MAR02 ANGLES. REFER TO FASCIA ELEVATIONS AND FASCIA STRUCTURAL DETAILS.



DETAIL "A"



FASCIA TERMINATION SECTION

BELOW ROOF

HK1120




PRODUCT & ENGINEERING MANUAL

-

NAME IF
HK1120.DWG

HK1140 SOFFIT CORNER TRIM



SOFFIT CORNER TRIM

BOTTOM VIEW



HK1140

-

NAME IF

HK1140.DWG

HK1150 FASCIA CAP TRIM @ CORNER



HK1150



PRODUCT & ENGINEERING MANUAL

-

REVISION

02/16/15

AK CHK: EGB

NAME IF

HK1150.DWG

DATE:	LAST	DETAIL	APPLICABLE
BY:	7.3.104		

-

HK1170 FASCIA TERMINATION @ SOFFIT W/ CHANNEL RETURN

REVISION
____02/16/15____


NAME IF
HK1170.DWG

LASTDETAIL
7.3.105

APPLICABLE

DATE:
BY:

AK CHK: EGB



HK1170

SOFFIT PANEL MUST BE INSTALLED BEFORE SOFFIT TRIMS

FASCIA TERMINATION

LASTDETAIL

APPLICABLE

DATE:

7.3.106

BY:



PRODUCT & ENGINEERING MANUAL

-

REVISION
____02/16/15____

NAME IF
HK1180.DWG

LASTDETAIL
7.3.107

APPLICABLE


DATE:
BY:

-


AK CHK: EGB

INTERIOR SPLICE


HK1180
PARAPET
GUTTER



SPLICE DETAIL



GUTTER TERMINATION AT BACK PANEL
"CFR" OR "VR16" ROOF




LEFT AND RIGHT PARAPET END CAP PART NUMBERS
USE PGA02 AT THE FAR END OF THE GUTTER
USE PGA03 AT THE NEAR END OF THE GUTTER

END CAP ORIENTATION DETAIL

NOTES:

- 1) FIELD WELD THE PARAPET GUTTER END CAP TO THE PARAPET GUTTER.
- 2) RUBBER LINER FOR PARAPET GUTTERS IS NOT SUPPLIED BY NUCOR BUILDING SYSTEMS. INSTALL BEFORE THE ROOF PANELS ARE INSTALLED.

PARAPET GUTTER INSTALLATION DETAILS



GUTTER TERMINATION AT BACK PANEL
"CLASSIC" ROOF

HK1180

LASTDETAIL
7.3.109

APPLICABLE

DATE:
BY: